

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	350	"455"/\$.ccls. and (((power or voltage) adj1 suppl\$3) with (vary or varies or variable or different)) and bias\$3 and (control or controller or controlled or controlling or DSP) and @ad<="20020709"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:20
S1	900	(330/10).CCLS.	USPAT; USOCR	OR	OFF	2006/03/08 09:20
S2	395	(330/136).CCLS.	USPAT; USOCR	OR	OFF	2004/08/18 12:49
S3	192	(330/127).CCLS.	USPAT; USOCR	OR	OFF	2004/08/18 12:49
S4	539	(330/129).CCLS.	USPAT; USOCR	OR	OFF	2004/08/18 12:49
S5	398	(330/123).CCLS.	USPAT; USOCR	OR	OFF	2004/08/18 12:49
S6	153	(330/199).CCLS.	USPAT; USOCR	OR	OFF	2004/08/18 12:49
S7	472	(330/297).CCLS.	USPAT; USOCR	OR	OFF	2004/08/18 12:49
S55	148	(330/10,136,127,129,123,199,297).ccls. and (((power or voltage) adj1 suppl\$3) with (vary or varies or variable or different)) and bias\$3 and (control or controller or controlled or controlling or DSP) and @ad<="20020709"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:18
S56	695	amplifier and (((power or voltage) adj1 suppl\$3) with (vary or varies or variable or different)) and bias\$3 and (control or controller or controlled or controlling or DSP) and @ad<="20020709" and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 12:46